# SCALIBRATION STATION



For **SENSIT® PIOO** Gas Monitors

Automatic Bump Test & Calibration

Automatic Data Download

Calibration Compliance Reports & Alerts















## SCAL-100

Automatically calibrates SENSIT® P100 Single Gas Monitors, stores data and manages instrument compliance.

SCAL-IOO Calibration Station is the automatic bump and calibration station for SENSIT® PIOO Personal Gas Monitors equipped with two way communication. SCAL-IOO is also used to upload data from the PIOO event log.

Two versions are available:

#### SCAL-100-D 360 Calibration Station

The Desktop version communicates with a computer via USB when using **SCAL-D 360** Data Management Software application. **SCAL-D 360** is sold separtely with a multi-year license.

#### SCAL-IOO-N 360 Calibration Station

The Network version can communicate through the Ethernet connection when using **SCAL-N 360** Data Management Software application. **SCAL-N 360** is sold separately with a multi-year license.

#### SCAL-IOO Calibration Station is

- Easy to Use
- Easy to Maintain

### Design to Test/Calibrate SENSIT® P100 Monitors

- Oxygen O2
- Carbon Monoxide CO
- Hydogen Sulfide H2S
- Hydrogen Cyanide HCN
- Nitrogen Dioxide NO2
- Sulfure Dioxide SO2

#### **Standard Features:**

- Indicates proper gas pressure
- Automatic operation when instrument is installed
- Indication of pass or fail
- RJ45 intranet connection / USB
- Wall or desk mount
- Compatible with Windows 7, 8, 8.1, 10
- Windows Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019

#### **Reporting Features:**

- Instrument Test Past Due
- Instrument Failure Alerts
- Monthly Compliance Report
- Sensor Performance Data
- Optional Networking System
- Compatible with: SCAL-D 360<sup>TM</sup> (Desktop) SCAL-N 360<sup>TM</sup> (Network) Data Management Software
- SMARTLINK/ SMARTLINK 360



#### **PRODUCT SPECIFICATIONS**

Size: 6" x 6" x 1.75" (15.24cm x 15.24cm x 4.5cm)

Weight: 2 lb. (0.9 kg)

Operational Temp:  $40 - 120 \text{ F (5 to } 50^{\circ} \text{ C)}$ 

Max. Inlet Pressure: 20 PSI

Power: 100-240VAC 50/60Hz 0.2A input with 2VDC 0.5A output

#### **SOFTWARE REQUIREMENTS**

1GB Hard Drive Space Windows® 7, 8, 8.1, 10

Windows Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019

Microsoft® Outlook or Direct Email



#### SCAL 360 Data Management Software

**SCAL-D 360** is the Desktop version of the software. This single-user software application is sold separtely.

Various reports and alerts can be viewed, printed, emailed or stored as a PDF or Excel spreadsheet. When configured, it will automatically alert operators and supervisors of important data depending on their preference.

**SCAL-N 360** is the Network version of the software. SCal-N is sold separately with a multi-year license. Use **SCAL-N 360** to download data from remotely located Calibration Station(s). Data is stored in SQL Server.

#### **SCAL-100 Calibration Station for SENSIT® P100 Monitors**

SCAL-100 D (Desktop) Calibration Station Part # 924-0000-01

Includes: Installation Guide, Cables, 2 Year Technical Support

(SCAL 360 Sold Separately)

SCAL-100 N (Network) Calibration Station - Network Part # 924-00000-02

Includes: Installation Guide, Network Adapter, 2 Year Technical Support (SCAL 360 Sold Separately)

SCAL-D 360 Data Management Software - 500-SC360-01

SCAL-N 360 (Admin) Data Management Software - 500-SC360N-03

SCAL-N 360 (User) Data Management Software - 500-SC360-05

#### **SCAL-100 Gas Cylinders**

58 liter 100ppm CO/Air Part # 315-120004

58 liter 25ppm H2S/Air Part # 315-120001

34 liter 10ppm HCN/Nitrogen Part # 315-100006

34 liter 10ppm Nitrogen Dioxide/bal N2 Part # 315-100005

34 liter 10ppm Sulfur Dioxide/bal Air Part # 315-100002



851 Transport Drive Valparaiso, IN 46383-8432

Phone: 888 4SENSIT 888 473 6748

219 465 2700

Fax: 219 465 2701

www.gasleaksensors.com

MADE IN THE USA

SENSIT Technologies

is an ISO 9001:2015 certified company.







	_	•	
	-		

Distributed by: