

EX 1000

COMBUSTIBLE GAS MONITOR



EX 1000 is the perfect choice for monitoring levels of combustible gases.

EX 1000

COMBUSTIBLE GAS MONITOR

MINIMAL MAINTENANCE. MAXIMUM SAFETY.

The EX 1000 is a single gas monitor used to detect combustible gases in ambient environments. Visual and audible indicators, alert the operator to preset or a calibrated level of combustible gas. Low maintenance requirements, simple calibration procedures and low cost make this unit a perfect choice for personal safety.

Provides Employee Safety

- Meets Industry Survey Requirements Part 192.723 (b) (1)
- Rapid Response Time
- Adjustable Alarm Set Point
- Hand-Held or Belt Worn
- Operates Entire Shift

EX 1000 Standard Features

- Durable ABS Constuction
- Rechargeable Battery
- LED Warning Indicators
- Audible & Visual Alarms
- Recharges in 5 hours



INDUSTRY USERS

Gas / Electric Utilities
Street Departments
Chemical Plant Workers
Appliance Repairmen
Emergency Vehicle Teams
Fire and Police Services
Marine Operators
Plant Maintenance Personnel
Safety Engineers
Heating / Plumbing Contractors

APPLICATIONS

Combustible Gas Leak Detection
Confined Space Monitoring

PARTIAL LIST OF GASES SENSED*

Acetone	Methane
Alcohol	Natural Gas
Ammonia	Propane
Butane	Smoke
Gasoline	
Industrial Solvents	
Lacquer Thinners	

Contact Sensit Technologies for more info.



ON/OFF SWITCH

ALARM SPEAKER

OPERATION INDICATORS


SOLID STATE SENSOR

AUDIO CONTROL

TO OPERATE:

- 1. Press Power**
- 2. Wait 45 Seconds for Automatic Zeroing**
- 3. Begin to Use**

Patented



STANDARD KIT

- Soft Carrying Pouch
- Recharge Adapter
- Instruction Manual

SENSOR SPECIFICATIONS

TYPE	RESOLUTION	RANGE	ACCURACY
PPM	N/A*	500-20,000	±10%
LEL	N/A*	1-40%	±10%

*LED Indications Only

PRODUCT SPECIFICATIONS

- Size: 4.3" x 2.5" x 1.2" (110 x 60 x 33mm)
- Weight: 6.0 oz. (170 g)
- Operational Temp: 0 to 120 F (-17.7 to 48.8° C)
- Battery Life: Rechargeable NICAD: Greater Than 8 hrs. Continuous

EX 1000 ACCESSORIES

PRODUCT / APPLICATION OPTIONS

SENSIT® HXG-2d COMBUSTIBLE GAS DETECTOR

SENSIT® HXG-2d is intrinsically safe and ideal for locating Natural, Propane and Butane gas leaks quickly.

- Direct PPM Readout 0-990 ppm
- Direct LEL Readout 0-100% LEL
- Push-Button Operation
- Field Calibration
- Long-life, Low Cost Sensors



SENSIT® GOLD GAS DETECTION INSTRUMENT

SENSIT® GOLD Displays Up To 4 Gases:

- LEL (%Volume and PPM Optional)
- Oxygen
- Carbon Monoxide
- Hydrogen Sulfide
- Hydrogen Cyanide (Optionally)

SENSIT® P100 PERSONAL MONITOR

SENSIT® P100 is a single gas personal monitor designed to warn the user of hazardous gases in their working environment.



For more information, visit www.gasleaksensors.com



851 Transport Drive
Valparaiso, IN 46383-8432

Phone: 888 4SENSIT
888 473 6748
219 465 2700

Fax: 219 465 2701
www.gasleaksensors.com

MADE IN USA

SENSIT Technologies
is in compliance with ISO 9001:2008



Distributed by:

