Meets The New BPI 2100 Standard



U U U U U U



The revised BPI 1200 Standard for residential energy audits and testing requires:

- ✓ Digital Display for LEL
- ✓ Audible Tick Rate
- 🗸 Preset Alarms

SENSIT® GOLD EXCO+I200 can also be used as an OSHA-compliant confined space monitor.

As an investigative tool, the LEL sensor is designed to find the source of combustible gas leaks fast.

Applications

- Combustible Gas Leak Detection
- Carbon Monoxide Investigations
- Confined Space Monitoring
- Combustible Gas Measurements
- BPI 1200 Energy Audits

You can depend on the **SENSIT® GOLD EXCO+IZOO** to provide the safety and accuracy you need.

- ✓ 0 to 2000 ppm CO Readings
- ✓ Calculate and Dispaly CO Air Free
- ✓ UL 913 Certification

Displays 3 Gases

- LEL (Combustibles)
- Oxygen
- Carbon Monoxide (PPM)
- Air Free CO Readings (CF)

Standard Features

- UL 913 Certified
- Audible Tick Leak Detection
- Lowest Cost, Long Life Sensors
- Internal Pump
- Water/Dust Filter
- Field Calibration
- Calibration Alert
- Session Log
- Calibration Memory
- Infrared Download
- Audible/Visual Alarms
- Bright LCD Display
- Programmable Auto Shut Off

SENSIT[®] GOLD EXCO+I200

PRODUCT FEATURES

- LUER PROBE CONNECTOR
- SENSOR CAP 2
- 3 LEL / PPM SENSOR
- INFRARED COMMUNICATIONS 4
- BACKLIT LCD DISPLAY
- ALARM LEDS 6 **OPERATION BUTTONS** 7
- 8 TICK ADIUST
- FLEXIBLE GOOSENECK 9
- 10 BATTERY COMPARTMENT

PRODUCT SPECIFICATIONS

Size: 11.5" x 3" x 2.32" (29.2 x 7.6 x 6.9 cm) 1.2 lb. (0.5 kg) Weight: -4 to 122 F (-20 to 50° C) **Operational Temp:** Battery Life: Alkaline: Approximately 12 hrs. Continuous





SENSOR SPECIFICATIONS

TYPE LEAK (UL) LEL 02 CO

RESOLUTION N/A 0.1% up to 2.0% 0.1% 1 ppm

RANGE
10-50,000 ppm
0-100% LEL
0-25%
0.2000 ppm

ACCURACY N/A

±10% ±0.2% or 10%** ±5 ppm or 5%**

**Whichever is greater



851 Transport Drive Valparaiso, IN 46383-8432

Phone: 888 4SENSIT 888 473 6748 219 465 2700

219 465 2701 Fax: www.gasleaksensors.com



is in compliance with ISO 9001:2008



© 2016 SENSIT TECHNOLOGIES

ISSUED: 4-13-2016 REV: 5-17-2016

MADE IN USA

SENSIT Technologies





SENSIT[®]GOLD

2

3

Δ

5

6

7

8

9

10